

CIME  
MACCHINE ESPRESSO ITALIANE



**Proudly Distributed by:**



**GAN TECK KAR INVESTMENTS PTE LTD** [www.gtkfoods.com](http://www.gtkfoods.com)

21 Tuas West Drive, #01-01, Singapore 638411 T: (65)6556-0711 F: (65)6457-5929

# CO-03

Proudly made in Italy, the CIME CO-03 is a compact commercial coffee machine with 2 or 3 groups, a perfect cost-effective solution for any sized coffee shop or mobile site (such as a van or cart).

<b>DIMENSIONS</b>	670 mm	(W)
	540 mm	(D)
	540 mm	(H)
<b>WEIGHT</b>	55 kg	
<b>POWER</b>	5000 w	



# CO-03

## 2GR COMPACT A.M.E.

Proudly made in Italy, the CIME CO-03 is a compact commercial coffee machine with 2 or 3 groups, a perfect cost-effective solution for any sized coffee shop or mobile site (such as a van or cart).

<b>DIMENSIONS</b>	550 mm	(W)
	540 mm	(D)
	540 mm	(H)
<b>WEIGHT</b>	48 kg	
<b>POWER</b>	2500 w	



# CO-03

## 3GR AME

Proudly made in Italy, the CIME CO-03 is a compact commercial coffee machine with 2 or 3 groups, a perfect cost-effective solution for any sized coffee shop or mobile site (such as a van or cart).

<b>DIMENSIONS</b>	880 mm	(W)
	540 mm	(D)
	540 mm	(H)
<b>WEIGHT</b>	68 kg	
<b>POWER</b>	6000 w	





## CARATTERISTICHE

circolazione termosifonica  
 infusione elettronica  
 lavaggio gruppi automatico  
 regolazioni dosi acqua calda e caffè  
 spia di segnalazione mancanza acqua in caldaia  
 rubinetto di svuotamento dell'acqua della caldaia  
 n°2 lancia vapore inox  
 n°1 lancia vapore inox [versione compatta]  
 altezza utile tazza 13 cm [versione americana]  
 pulsanti emergenza erogazione gruppi

su richiesta

scaldavivande elettrico 220 V 350/450 W

## CHARACTERISTICS

heating circulation  
 electronic infusion  
 automatic cleaning of the groups  
 dose regulations of hot water and coffee  
 signal light detecting lack of water in boiler  
 emptying tap of water in boiler  
 n°2 stainless steel steam jet nozzle  
 n°1 stainless steel steam jet nozzle [compact version]  
 useful cup height 13 cm [american version]  
 emergency push button groups supply

on request

electric cup warmer 220 V 350/450 W

disponibilità di colori bianco, nero, rosso e acciaio  
 colours available white, black, red and stain steel



## 2 GRUPPI SEMIAUTOMATICA/AUTOMATICA/AMERICA 2 GROUPS SEMIAUTOMATIC/AUTOMATIC/AMERICA

voltaggio	voltage	110/220/380 V
potenza	power	3/4/5000 W
caldaia	boiler	12 Lt.
larghezza	width	67 cm
profondità	depth	54 cm
altezza	height	54 cm
peso netto	net weight	55 kg
peso lordo	gross weight	59 kg
imballo	package	75x62x60 cm

## 2 GRUPPI SEMIAUTOMATICA/AUTOMATICA/COMPATTA 2 GROUPS SEMIAUTOMATIC/AUTOMATIC/COMPACT

voltaggio	voltage	110/220/380 V
potenza	power	1800/2500 W
caldaia	boiler	6 Lt.
larghezza	width	55 cm
profondità	depth	54 cm
altezza	height	54 cm
peso netto	net weight	48 kg
peso lordo	gross weight	51 kg
imballo	package	59x62x60 cm

## 3 GRUPPI SEMIAUTOMATICA/AUTOMATICA/AMERICA 3 GROUPS SEMIAUTOMATIC/AUTOMATIC/AMERICA

voltaggio	voltage	110/220/380 V
potenza	power	4/5/6000 W
caldaia	boiler	18 Lt.
larghezza	width	88 cm
profondità	depth	54 cm
altezza	height	54 cm
peso netto	net weight	68 kg
peso lordo	gross weight	73 kg
imballo	package	96x62x60 cm

# CO-05

## 2GR E61 AME

The new CO-05 is a harmonious union of robust, reliable components which make up the beating heart of an espresso machine, where functionality and design add value to the art of knowing how to prepare a perfect coffee.

**DIMENSIONS** 740 mm (W)  
540 mm (D)  
500 mm (H)

**WEIGHT** 55 kg

**POWER** 3000 w



## CARATTERISTICHE

circolazione termosifonica  
infusione elettronica  
lavaggio gruppi automatico  
regolazioni dosi acqua calda e caffè  
spia segnalazione mancanza acqua in caldaia  
rubinetto svuotamento acqua della caldaia  
n°2 lancia vapore inox  
altezza utile tazza 13 cm [versione america]  
pulsanti emergenza erogazione gruppi

### gruppo E61 [2 e 3 gruppi]

elettrovalvola laterale  
canotto inferiore con infusore idraulico

### su richiesta

scaldavivande elettrico 220 V 350/450 W

## CHARACTERISTICS

heating circulation  
electronic infusion  
automatic cleaning of the groups  
dose regulations of hot water and coffee  
signal light detecting lack of water in boiler  
emptying tap of water in boiler  
n°2 stainless steel steam jet nozzle  
useful cup height 13 cm [american version]  
emergency push button groups supply

### E61 group [2 e 3 groups]

solenoid on the side  
lower sleeve with hydraulic infuser

### on request

electric cup warmer 220 V 350/450 W

## SEMIAUTOMATICA/AUTOMATICA/AMERICA SEMIAUTOMATIC/AUTOMATIC/AMERICA

	2 gruppi [anello] 2 groups [ring]	3 gruppi [anello] 3 groups [ring]	2 gruppi [E61] 2 groups [E61]	3 gruppi [E61] 3 groups [E61]
voltaggio <i>voltage</i>	110/220/380 V	110/220/380 V	110/220/380 V	110/220/380 V
potenza <i>power</i>	3000 W [op. 4/5000W]	5000 W	4000 W [op. 5000W]	5000 W
pressostato <i>pressure switch</i>	20 amp	30 amp	30 amp	30 amp
caldaia <i>boiler</i>	12 Lt.	18 Lt.	12 Lt.	18 Lt.
larghezza <i>width</i>	74 cm	95 cm	74 cm	95 cm
profondità <i>depth</i>	54 cm	54 cm	54 cm	54 cm
altezza <i>height</i>	50 cm	50 cm	50 cm	50 cm
peso netto <i>net weight</i>	55 kg	68 kg	55 kg	68 kg
peso lordo <i>gross weight</i>	59 kg	73 kg	59 kg	73 kg
imballo <i>package</i>	75x62x60 cm	96x62x60 cm	75x62x60 cm	96x62x60 cm

la pulsantiera retroilluminata  
rende facilmente intuibile la scelta  
desiderata

the backlit keypad makes the  
choices easily understandable



spalle laterali compatte, dal design  
minimale. Disponibili in diverse cromie

compact sides, with minimal design.  
Available in various colours



funzionalità e design grazie  
all'elegante logo retroilluminato  
nel pannello posteriore

practicality and design due to the  
elegant backlit logo on the back  
panel







cod. **001**  
nero seppia



cod. **006**  
verde felce



cod. **002**  
bianco gesso



cod. **007**  
rosso porpora



cod. **003**  
grigio asfalto



cod. **008**  
blu genziana



cod. **004**  
rosso traffico



cod. **009**  
verde lime



cod. **005**  
giallo taxi



cod. **010**  
verde acqua



# CO-11

## ALLACCIO VASCGETTA

Our machines represent a perfect balance between well-advanced know-how and traditional care of the product. Thanks to our highly experienced technicians and their attention towards new technologies, we are able to offer top quality products in terms of reliability, toughness and services.

### **DIMENSIONS**

235 mm (W)

430 mm (D)

37 mm (H)

### **WEIGHT**

20 kg

### **POWER**

1500 w



## CARATTERISTICHE

Capacità serbatoio acqua estraibile 2,5 Lt.  
 Lancia vapore inox  
 Circolazione termosifonica  
 La macchina è dotata di sistema di arresto della pompa per mancanza di acqua

## CHARACTERISTICS

Water pullout tank capability 2,5 litres  
 Stainless steel steam nozzle  
 Radiated circulation  
 The machine is endowed with a pump stopping system due to water lack

## 1 GRUPPO SEMIAUTOMATICA/AUTOMATICA 1 GROUP SEMIAUTOMATIC/AUTOMATIC

voltaggio	voltage	110/220/380 V
potenza	power	1500 W
caldaia	boiler	1,3 Lt.
larghezza	width	23,5 cm
profondità	depth	43 cm
altezza	height	37 cm
peso	weight	20 kg
imballo	package	50x38x43 cm

disponibilità di colori: acciaio  
 colours available: stain steel



**CIME S.r.l.**  
 Zibido San Giacomo (MI) - IT  
 20080 - Via Longarone 41

tel. +39 02 90005468  
 fax +39 02 90005947

info@cimeitalia.com  
 www.cimeitalia.com

# CINME

MACCHINE ESPRESSO ITALIANE

**Proudly Distributed by:**



**GAN TECK KAR INVESTMENTS PTE LTD** [www.gtkfoods.com](http://www.gtkfoods.com)

21 Tuas West Drive, #01-01, Singapore 638411 T: (65)6556-0711 F: (65)6457-5929