Multi Purpose Stone Hearth Deck Ovens



for True Artisan Pizza

for High Temperature Baking

for Tastier Bread and Pastries

for Genuine MultiCooking





The largest electric deck oven range in the world - 80 different sizes, over 1 000 combinations



Proudly Distributed by:



GAN TECK KAR INVESTMENTS PTE LTD www.gtkfoods.com 21 Tuas West Drive, #01-01, Singapore 638411 T: (65)6556-0711 F: (65)6457-5929



for True Artisan Pizza



for High Temperature Baking



for Tastier Bread and Pastries



for Genuine MultiCooking

for True Artisan Pizza

PizzaMaster[®] embodies the heart and soul of every angle of pizza making. We are not just an oven manufacturer we have a greater mission with our pizza ovens,

"Our mission is to improve and spread the knowledge of this Italian treasure globally"

Our passion strive us to always deepen and keep our knowledge up to date for – the production and the characteristics of the flour, how to process the dough, the origins and quality of the toppings, of course taking in consideration the habits, tastes and availability of different countries – We deliver all this passion and knowledge into our ovens to make them the very best tool available for making all types of pizza better for everyone to enjoy.

for High Temperature Baking

PizzaMaster⊛ are high performance ovens as standard but can be powered up even more with our high temp option that delivers a continuous temperature capacity for baking up to 500°C / 932°F.

This can be used for high temp pizza like traditional Neapolitan or New York Style Pizza, but also for other dishes like Indian Nan Bread, Arabic Bread, Pita Bread, Flat Breads and Flamkuchen and all other dishes requiring high temperature.

Our ovens are actually so powerful that we voluntarily limited the maximum temperature to 500° C / 932° F. Without limitation our ovens are capable of reaching 800° C / 1436° F.

"We call this XTREME Performance"

for Tastier Bread and Pastries

PizzaMaster⊛ are not only fantastic pizza ovens, they can also be used to bake all kinds of artisan bread and pastry. High power and natural clay hearth stones are standard and in combination with our unique and patented steam system they give you all you need to bake bread and pastry the old world style.

This can be crispy and shiny baguettes as well as any other type of bread like, traditional German or Mediterranean Bread, Italian delicacies like Ciabatta and Focaccia, Pastries like Croissant and Danish or local specialties like baklava. This is just a few examples of bread and pastries that can be baked in our ovens.

for Genuine MultiCooking

PizzaMaster[®] is genuine multipurpose ovens. We know how important it is for a restaurant with often limited space to fully use the potential of their equipment. Therefore we designed our ovens to combine convenience and flexibility with performance and capacity like no other ovens. Designed to bake, roast, toast and grill a wide variety of foods like pizza, bread and pastries, high temp dishes, garlic bread, vegetables, shellfish, fish, chicken or meat.

We are also continuously experiencing and deepen our knowledge of different international dishes that our ovens are used for. To name some we are selling our ovens to restaurants cooking Paella, Baklava, Flamkuchen and plain Bruschetterias. The result is always a traditional old world bake result.

The largest electric deck oven range in the world





- 80 different sizes there is a PizzaMaster for every need
- High power gives superior capacity
- High temperature for old world bake result
- Special clay hearthstone makes tastier pizza
- Unique Scandinavian design better looks and very easy to use

- "Extra" is standard turbo start, timer, retractable shelf, canopy, support with lockable castors and much more
- Smart unique options peel holder, 7 days start/stop timer, door opener and much more
- International certificates
 guarantees the highest possible quality
 all models are tested at 780°C / 1436°F
- Long warranties 2 years on all models

Multi Purpose CounterTop ovens

COMPACT, versatile and high efficient - stone hearth ovens

Available fronts in polished stainless steel:



Classic Silver standard







Phantom Black option



PM 350 series

PizzaMaster® 350 series internal dimensions: Depth 355 mm / 14in Available widths: 355 mm - 710 mm / 14 in – 28 in



Model shown: PM 352ED

PM 400 series

PizzaMaster® 400 series internal dimensions: Depth 410 mm / 16 in Available widths: 410 mm – 820 mm / 16 in – 32 in

Model shown: PM 402ED-1



PizzaMaster® 450 series internal dimensions: Depth 460 mm / 18 in Available widths: 460 mm – 920 mm / 18 in – 36 in

PM 550 series

PizzaMaster® 550 series internal dimensions: Depth 535 mm / 21 in width 535 mm / 21 in







Model shown: PM 552ED-2

Standard equipment

- Digital control panel
- ☑ Turbo-start function
- Stepless top and bottom heat controls
- ☑ Timer with manual shut-off alarm
- Automatic timer with alarm
- Strong, well-borne door with ergonomic handle and big window
- ☑ Brushed stainless-steel exterior
- Double halogen lighting per chamber
- ☑ Indicators for thermostat, turbo-start and service
- I Extra hearthstone

4



☑ Worktop convenience with extraordinary capacity

PizzaMaster® multi-purpose countertop ovens combine convenience and flexibility with performance and capacity like no other oven. Designed to bake and roast a wide variety of foods, they are built to last and capable of continuous duty 24 hours a day. This, together with their user-friendliness and very smart appearance, makes them the ideal solution for restaurants and front-of-shop applications where safe, efficient, unobtrusive equipment is needed.

Imited but the demand for quality is high

To bake quality pizza easily, you need an oven with a proper hearthstone, high temperature, uniform heat distribution, responsive heat controls, easy loading, quick recovery and good visibility.

That means you need a modern oven built with traditional pizza in mind. And if your menu is varied, your oven must be flexible, able to roast meat, potatoes and lasagne, and bake quality bread, cakes and cookies. PizzaMaster® CounterTop ovens meet all these demands in a unique and superior way. Available in 7 different sizes, they can be supplied with 1 or 2 independent oven chambers. For added flexibility, one or both chambers can be divided into 2 genuine decks simply by fitting an extra hearthstone and heating element. It is easy to do this, even after purchase. This is just one of many unique features of our countertop ovens.

Special clay hearthstone with crisping function

All good chefs know that pizza is special; that the crust must be baked light and crispy while the toppings are roasted to give full colour and flavour. That is what makes pizza perfect. One of the secrets is to have a traditional hearthstone, but we take it one step further. Our stones are made of a special, natural clay that is textured finely (to induce a small airflow underneath the pizza) and fired carefully to give optimum strength and porosity.

The results speak for themselves - if an oven can bake good pizza, it can bake anything else to perfection as well. It is simply a matter of controllability, one of the best features of PizzaMaster® CounterTop ovens.

Optimum power and total controllability

With PizzaMaster® CounterTop ovens, you have all the power you need and total control, thanks to stepless, independent electronic controls for oven temperature, top heat and bottom heat.

This allows you to set the oven to give exactly the results you want. There is also a turbo-start function to heat up the oven quickly and a double alarm-clock-timer that lets you set the time either manually per bake or automatically for all bakes, at the press of a button.

I Ergonomics, good looks and high performance

PizzaMaster⊛ CounterTop ovens have a strong, easy-to-open door, ergonomic handle, big window and halogen lighting. They have sleek, brushed stainless-steel surfaces, very close-fitting joints and not a screw or a rivet in sight.

This beauty also has functions. It conceals a unique and effective spatial insulation concept, improves the environment, interfaces perfectly with the user and makes it very easy to clean the oven. It reflects the quality that runs right to the heart of every PizzaMaster® oven, where performance is what matters. In this respect, the oven is engineered to do exactly what we promise, enabling you to deliver professional results in every situation where convenience is essential and quality is paramount.



The stepless electronic controls, turbo-start function and digital display are logical and easy to use.



A big strong door with ergonomic handle and large window enables easy loading, inspection and unloading. Halogen lights complete the picture.



Each oven chamber can be divided easily into two decks by fitting an intermediate hearthstone and element, which doubles the oven capacity.



Sleek, brushed stainless-steel surfaces, virtually seamless joints and no visible screws or rivets make the oven very smart and easy to clean.





PM 351ED-1 made in Phantom Black



PM 351ED-1 made in Royal Gold



Support PM 451-S equipped with Shelf support package SP-1

□ Royal Gold or Phantom Black polished stainless steel

Today many restaurants have an open kitchen and many times the oven is at focus. Our designers and engineers has worked together to create a unique option that will change the way we look at professional ovens. **Royal Gold or Phantom Black is an exterior optional that is a designers dream. A PizzaMaster® with this exclusive and unique design will be the jewel and centre piece in any restaurant.**

□ Marine Application

All PizzaMaster® CounterTop ovens can be adjusted for installation and operation in a marine environment. We can also supply the ovens with any preferred voltage.

932°F 500°C XTREME

Special 500° C / 932° F version makes it possible to bake special type of pizza like Napoli style, high temperature breads or other products that require a very high baking temperature.

□ Steam Option / Bakery version

All our ovens can be used as a bakery oven standard equipped with hearth stones. A powerful steam generator, placed and controlled on each deck. It is also possible to connect the oven to an extern steam generator.

\square Underbuilt cabinet for convenience and hygiene

□ High temperature version - XTREME Performance

Every PizzaMaster® oven can be equipped with a highly versatile underbuilt cabinet. The shelf supports and dividers in the cabinet can be adjusted almost infinitely, so that you can exploit the storage space optimally and use different sizes of tray and pizza pans at the same time. The PizzaMaster® underbuilt cabinet can also be supplied as a proving cabinet

□ Stainless steel Support

Very practical support all made in stainless steel make the placement for each CounterTop oven very easy. The support come as standard with two shelves and lockable castors. It has smooth surfaces and is very easy to clean. As an optional extra the support can be fitted with a shelf support system. We have made for each support a shelf support package that will fit most applications, see table below. If further storage space is necessary it is possible to add more shelf support packages. Contact your nearest PizzaMaster® representative for further information regarding.

PizzaMaster_® CounterTop series - Support



Dimensions in millimetres Width x Depth x Height	Dimensions in inches Width x Depth x Height	Shelf support package
595 x 600 x 900	23.4 x 23.6 x 35.4	SP-1
595 x 600 x 750	23.4 x 23.6 x 29.5	SP-2
650 x 600 x 900	25.6 x 23.6 x 35.4	SP-1
650 x 600 x 750	25.6 x 23.6 x 29.5	SP-2
700 x 650 x 900	27.6 x 25.6 x 35.4	SP-1
700 x 650 x 750	27.6 x 25.6 x 29.5	SP-2
775 x 725 x 900	30.5 x 28.6 x 35.4	SP-1
775 x 725 x 750	30.5 x 28.6 x 29.4	SP-2
950 x 600 x 900	37.4 x 23.6 x 35.4	SP-1DW
950 x 600 x 750	37.4 x 23.6 x 29.5	SP-2DW
1060 x 600 x 900	41.7 x 23.6 x 35.4	SP-1DW
1060 x 600 x 750	41.7 x 23.6 x 29.5	SP-2DW
1160 x 650 x 900	45.7 x 25.6 x 35.4	SP-1DW
1160 x 650 x 750	45.7 x 25.6 x 29.4	SP-2DW
	Width x Depth x Height 595 x 600 x 900 595 x 600 x 750 650 x 600 x 750 650 x 600 x 750 700 x 650 x 750 705 x 725 x 900 775 x 725 x 750 950 x 600 x 900 950 x 600 x 900 950 x 600 x 900 1060 x 600 x 750 1060 x 600 x 750 1160 x 650 x 900	Width x Depth x Height Width x Depth x Height 595 x 600 x 900 23.4 x 23.6 x 35.4 595 x 600 x 750 23.4 x 23.6 x 29.5 650 x 600 x 900 25.6 x 23.6 x 35.4 650 x 600 x 750 25.6 x 23.6 x 29.5 700 x 650 x 900 27.6 x 25.6 x 35.4 700 x 650 x 750 27.6 x 25.6 x 29.5 775 x 725 x 900 30.5 x 28.6 x 35.4 950 x 600 x 900 37.4 x 23.6 x 29.4 950 x 600 x 900 37.4 x 23.6 x 29.5 1060 x 600 x 900 41.7 x 23.6 x 35.4 1060 x 600 x 750 41.7 x 23.6 x 29.5 1160 x 650 x 900 45.7 x 25.6 x 35.4

6



Power kW

2.25 3.35 4.50 5.60 6.70 3.05 4.55 6.10 7.60 9.10 3.63 5.42 7.26 9.05 10.84 4.41 5.59 8.77 10.95 13.13

-	PizzaMaster	CounterTop series	- Standard w	idth		
Models	Dimensions in mi Width x Depth x		Dimensions in incl Width x Depth x H	Independent chambers	Hearth- stones	
	External	Internal (per hearthstone)	External	Internal (per hearthstone)	per oven	per oven
PM 351ED	F0F F 4F F00	355 x 355 x 195 (1 pcs)	00.4.01.5.0.40.7	14.0 x 14.0 x 7.7 (1 pcs)	1	1
PM 351ED-1	595 x 545 x 500	355 x 355 x 85 (2 pcs)	23.4 x 21.5 x 19.7	14.0 x 14.0 x 3.4 (2 pcs)	1	2
PM 352ED		355 x 355 x 195 (2pcs)		14.0 x 14.0 x 7.7 (2pcs)		2
PM 352ED-1 1)	595 x 545 x 800	355 x 355 x 195 (1 pcs) 355 x 355 x 85 (2 pcs) 1)	23.4 x 21.5 x 31.5	14.0 x 14.0 x 7.7 (1 pcs) 14.0 x 14.0 x 3.4 (2 pcs) 1)	2	3
PM 352ED-2		355 x 355 x 85 (4 pcs)	14.0 x 14.0 x 3.4 (4 16.1 x 16.1 x 7.7 (1			4
PM 401ED		410 x 410 x 195 (1 pcs)	25.6 x 23.6 x 19.7	16.1 x 16.1 x 7.7 (1 pcs)		1
PM 401ED-1	650 x 600 x 500	410 x 410 x 85 (2 pcs)	20.0 X 20.0 X 19.7	16.1 x 16.1 x 3.4 (2pcs)	1	2
PM 402ED		410 x 410 x 195 (2pcs)		16.1 x 16.1 x 7.7 (2pcs)		2
PM 402ED-1 1)	650 x 600 x 800	410 x 410 x 195 (1 pcs) 410 x 410 x 85 (2 pcs) 1)	25.6 x 23.6 x 31.5	16.1 x 16.1 x 7.7 (1 pcs) 16.1 x 16.1 x 3.4 (2 pcs) 1)	2	3
PM 402ED-2		410 x 410 x 85 (4 pcs)		16.1 x 16.1 x 3.4 (4 pcs)		4
PM 451ED		460 x 460 x 195 (1 pcs)	07.005.010.7	18.1 x 18.1 x 7.7 (1 pcs)		1
PM 451ED-1	700 x 650 x 500	460 x 460 x 85 (2 pcs)	27.6 x 25.6 x 19.7	18.1 x 18.1 x 3.4 (2pcs)	1	
PM 452ED		460 x 460 x 195 (2pcs)		18.1 x 18.1 x 7.7 (2pcs)		2
PM 452ED-1 1)	700 × 650 × 800	460 x 460 x 195 (1 pcs) 460 x 460 x 85 (2 pcs) 1)	27.6 × 25.6 × 31.5	18.1 x 18.1 x 7.7 (1pcs) 18.1 x 18.1 x 3.4 (2pcs) 1)	2	3
PM 452ED-2		460 × 460 × 85 (4 pcs)		18.1 × 18.1 × 3.4 (4 pcs)		4
PM 551ED	775 x 725 x 500	535 x 535 x 195 (1 pcs)	30.5 x 28.5 x 19.7	21.1 x 21.1 x 7.7 (1 pcs)	1	1
PM 551ED-1	110 × 120 × 000	535 x 535 x 85 (2pcs)	30.0 X 20.0 X 19.7	21.1 x 21.1 x 3.4 (2pcs)		2
PM 552ED		535 x 535 x 195 (2 pcs)		21.1 x 21.1 x 7.7 (2pcs)		2
PM 552ED-1	775 x 725 x 800	535 x 535 x 195 (1 pcs) 535 x 535 x 85 (2 pcs)	30.5 x 28.5 x 31.5	21.1 x 21.1 x 7.7 (1pcs) 21.1 x 21.1 x 3.4 (2pcs)	2	3
PM 552ED-2		535 x 535 x 85 (4 pcs)		21.1 x 21.1 x 7.7 (4pcs)		4

1) These models has one chamber with 2 hearthstones and one chamber with 1 hearthstone. The additional hearthstone can be positioned either in the upper or in the lower

chamber. Indicate with your order in which chamber you prefer your additional hearthstone.



PizzaMaster CounterTop series - Double width

Models	Dimensions in mil Width x Depth x H		Dimensions in inch Width x Depth x He		Independent chambers	Hearth- stones	Power kW
	External	Internal (per hearthstone)	External	Internal (per hearthstone)	per oven	per oven	
PM 351ED-DW	950 x 545 x 500	710 x 355 x 195 (1 pcs)	37.4 x 21.5 x 19.7	28.0 x 14.0 x 7.7 (1 pcs)	1	1	4.45
PM 351ED-1DW	950 X 545 X 500	710 x 355 x 85 (2 pcs)	37.4 X 21.5 X 19.7	28.0 x 14.0 x 3.4 (2 pcs)	I	2	6.65
PM 352ED-DW		710 x 355 x 195 (2pcs)		28.0 x 14.0 x 7.7 (2pcs)		2	8.90
PM 352ED-1DW 1)	950 × 545 × 800	710 x 355 x 195 (1 pcs) 710 x 355 x 85 (2 pcs) 1)	37.4 × 21.5 × 31.5	28.0 x 14.0 x 7.7 (1 pcs) 28.0 x 14.0 x 3.4 (2 pcs) 1)	2	3	11.10
PM 352ED-2DW		710 x 355 x 85 (4pcs)		28.0 x 14.0 x 3.4 (4pcs)		4	13.3
PM 401ED-DW	1060 x 600 x 500	820 x 410 x 195 (1 pcs)	41.7 x 23.6 x 19.7	32.3 x 16.1 x 7.7 (1 pcs)	1	1	6.05
PM 401ED-1DW	820 x 410 x 85 (2pcs)		41.7 X 23.0 X 19.7	32.3 x 16.1 x 3.4 (2pcs)		2	9.05
PM 402ED-DW		820 x 410 x 195 (2pcs)		32.3 x 16.1 x 7.7 (2pcs)		2	12.10
PM 402ED-1DW 1)	1060 x 600 x 800	820 x 410 x 195 (1 pcs) 820 x 410 x 85 (2 pcs) 1)	41.7 x 23.6 x 31.5	32.3 x 16.1 x 7.7 (1 pcs) 32.3 x 16.1 x 3.4 (2 pcs) 1)	2	3	15.10
PM 402ED-2DW		820 x 410 x 85 (4pcs)		32.3 x 16.1 x 3.4 (4pcs)		4	18.10
PM 451ED-DW	1160 x 650 x 500	920 x 460 x 195 (1 pcs)	45.7 x 25.6 x 19.7	36.2 x 18.1 x 7.7 (1 pcs)	1	1	7.21
PM 451ED-1DW	1100 x 000 x 000	920 x 460 x 85 (2 pcs)	-0.7 X 20.0 X 10.7	36.2 x 18.1 x 3.4 (2pcs)		2	10.79
PM 452ED-DW		920 x 460 x 195 (2pcs)		36.2 x 18.1 x 7.7 (2pcs)		2	14.42
PM 452ED-1DW 1)	1160 × 650 × 800	920 x 460 x 195 (1 pcs) 920 x 460 x 85 (2 pcs) 1)	45.7 × 25.6 × 31.5	36.2 x 18.1 x 7.7 (1 pcs) 36.2 x 18.1 x 3.4 (2 pcs) 1)	2	3	18.00
PM 452ED-2DW		920 x 460 x 85 (4 pcs)		36.2 x 18.1 x 3.4 (4pcs)		4	21.58

1) These models has one chamber with 2 hearthstones and one chamber with 1 hearthstone. The additional hearthstone can be positioned either in the upper or in the lower chamber. Indicate with your order in which chamber you prefer your additional hearthstone.



Modular pizza ovens

FULL SIZE, versatile and high efficient - stone hearth ovens



- ☑ Stainless steel front
- I Turbo start

- ☑ Ventilation control
- ☑ Robust door with large window
- (only digital display)
- ☑ Indicators for thermostat, turbo-start and service



☑ Optimum power and total controllability

With PizzaMaster® ovens, you have all the power you need and total control thanks to stepless, independent electronic controls for oven temperature, top, bottom and frontal heat. This allows you to set the oven to give exactly the results you want. There is also a turbo-start function to heat up the oven quickly and a double alarm-clock-timer that lets you set the time either manually per bake or automatically for all bakes, at the press of a button.

☑ Dual anti-glare halogen lighting

To facilitate inspection, loading and unloading, there is not just one but two flush-fitted halogen lamps at the front of each oven chamber. This unique feature gives perfect, glare-free visibility and eliminates the risk of having to work with a dark oven if one lamp fails.

High, uniform heating capacity

Every PizzaMaster® oven has a very high heat output for its size and the heat is distributed absolutely evenly in the oven. This has been achieved through advanced computer simulations and comprehensive testing of both the output and location of the elements. But high heat output does not mean that PizzaMaster® ovens consume more energy than other ovens at the same workload. What it does mean is that a PizzaMaster® oven can be loaded much more intensively than other ovens without prolonging individual baking times. To compensate for frequent door opening during busy periods, extra elements have been placed just behind the oven door. This guarantees both greater uniformity and quicker temperature recovery.

$\ensuremath{\boxtimes}$ Robust door with big window and ergonomic handles

Every PizzaMaster® oven has a robustly engineered door with oversize bearings that guarantee many years of trouble-free service. With the aid of ergonomic handles, the door opens and closes very smoothly and easily. A large, heat-reflecting window gives excellent visibility with minimal heat loss.

☑ Hearth of natural material, with crisping function

The special, baked-clay hearth is of optimum porosity to accumulate just the right amount of heat, which is distributed through the stone absolutely evenly. This, together with optimized elements, gives high efficiency and exceptionally quick temperature recovery. The surface of the hearth is furthermore specially textured to induce an airflow around the pizza. **This gives an exquisite crispiness to all kinds of pizza baked directly on the hearth. It also minimizes the risk of burning the bottom of the pizza.** Since the PizzaMaster® hearth is highly resistant to cracking, it also lasts much longer than other types of hearth.

$\ensuremath{\boxtimes}$ Effective insulation and low energy consumption

PizzaMaster⊛ ovens are insulated very carefully to give maximal heat retention, minimal energy consumption and low operating costs. To prevent heat from escaping through the window in the door, there is a special, transparent, heat-reflecting film on the inside of the glass. Effective insulation also gives a low ambient temperature around the oven and a much more pleasant working environment.

☑ Retractable frontal unloading shelf

Every PizzaMaster® oven comes with one frontal, retractable shelf as standard and can be fitted with a second as an optional extra. The shelf can be mounted just below the oven to give a large multi-purpose worktop just where you need it most. Alternatively, it can be mounted lower down in the stand to give a handy retractable surface on which to stack your pizza boxes.

\boxdot Additional standard equipment

PizzaMaster® ovens are delivered with legs with lockable castors as standard. They also come with an extractor hood for connection to the local extraction system, and with controls for adjusting and setting the oven ventilation. Should you wish to customize your oven further to suit your particular needs, please see the list of practical accessories or contact your nearest PizzaMaster® representative.



Digital or classic control panel - both logical and easy to use



Robust, smoothly-opening door with large window and ergonomic handles



Hearth of natural material, with crisping function for perfect texture and flavour



Retractable frontal unloading shelf lets you make or save space quickly and easily



Modular ovens Practical accessories



Oil - and spice rack for final touch



Phantom Black or Royal Gold polished stainless steel





Underbuilt cabinet

Model	Internal dimensions Width x Depth x Heig	Power output	
	Millimetres	kW	
UBC 720	850 x 715 x 510	33.5 x 28.2 x 20.1	1.0
UBC 730	1205 x 715 x 510	47.5 x 28.2 x 20.1	1.0
UBC 740	1560 x 715 x 510	61.5 x 28.2 x 20.1	1.0
UBC 820	975 x 835 x 510	38.5 x 32.9 x 20.1	1.0
UBC 830	1385 x 835 x 510	54.6 x 32.9 x 20.1	1.0
UBC 840	1795 x 835 x 510	70.7 x 32.9 x 20.1	1.0
UBC 920	1075 x 935 x 510	42.3 x 36.8 x 20.1	1.0
UBC 930	1 535 x 935 x 510	60.4 x 36.8 x 20.1	1.0
UBC 940	1995 x 935 x 510	78.6 x 36.8 x 20.1	1.0

□ Marine Application

All PizzaMaster® modular ovens can be adjusted for installation and operation in a marine environment.



Royal Gold or Phantom Black polished stainless steel Our designers and engineers has worked together to create a unique option that will change the way we look at professional ovens. Royal Gold or Phantom Black is an exterior optional that is a designers dream. A PizzaMaster with this exclusive and unique design will be the jewel and centre piece in any restaurant.

□ Steam Option / Bakery version

All our ovens can be used as a bakery oven standard equipped with hearth stones. A powerful steam generator, placed and controlled on each deck provides plenty of steam. It is also possible to connect the oven to an extern steam generator.

Peel holder to keep essential tools handy

This unique device keeps your pizza peels within easy reach on the left or right hand side of the oven. The holder has room for up to three peels, and protects the peels from unnecessary wear.

□ Oil and spice rack for the final touch

With the aid of this rack, you can keep your oil and spices handy while keeping your workspace neat and tidy. The rack can be placed on either the left or right hand side of the oven and comes with two bowls for oil or spices, as well as a basting brush and a pizza cutter.

□ Side shelves for quick and easy storage

A handy unloading shelf on which you can, for instance, place your pizza boxes. The shelf fits easily to the upper or lower side of the stand.

□ Automatic ON/OFF timer for everyday readiness

Mounted conveniently on the instrument panel, the timer ensures that the oven is always hot at the start of your working day and always switched off at the end of the day.

□ Hands-free door opening

The oven door is opened and closed many many times during a typical working day. To make this both easier and more convenient, PizzaMaster engineers have developed a semi-automatic door. To open or close the door, you simply step on a foot switch.

□ Extra retractable frontal unloading shelf

This doubles your workspace in front of the oven. Depending on the location of the first retractable shelf (fitted as standard), the extra shelf can be mounted either just below the oven or lower down in the stand.

Underbuilt cabinet for convenience and hygiene

Every PizzaMaster[®] oven can be equipped with a highly versatile underbuilt cabinet. The shelf supports and dividers in the cabinet can be adjusted almost infinitely, so that you can exploit the storage space optimally and use different sizes of tray and pizza pans at the same time. The PizzaMaster[®] underbuilt cabinet can also be supplied as a proving cabinet with stainless-steel walls and sliding glass doors.

Extra chamber height for bakes that rise

If you want your PizzaMaster® oven to be even more versatile, you can request one or more extra-high oven chambers. With an internal height of 245 mm (9.6 in), you will be able to bake extra deep pan-pizzas as well as bread, pies and other lofty delights evenly and easily.



PizzaMaster₀ 700 series (optimized for pizzas up to 355 mm / 14 in)

	Dimensions in millimetres Dimensions in inches Width x Depth x Height *b) Width x Depth x Height *b)		Dimensions in inches		Decks	Power	Capacity	(pizzas pe	pizzas per oven)		
Model			ght *b)		output	254 mm	355 mm	406 mm	457 mm		
	External	Internal	External	Internal]	kW	10 in	14 in	16in	18in	
PM 721	1125 x 905 x 480		44.3 x 35.6 x 18.9		1	6.7	6	4	2	1	
PM 722	1125 x 905 x 820		44.3 x 35.6 x 32.3		2	13.4	12	8	4	2	
PM 723	1125 x 905 x 1160	710 x 710 x 210/245	44.3 x 35.6 x 45.7	28.0 x 28.0 x 8.2/9.6	3	20.1	18	12	6	3	
PM 724	1125 x 905 x 1500		44.3 x 35.6 x 59.1		4	26.8	24	16	9	4	
PM 725	1125 x 905 x 1840		44.3 x 35.6 x 72.5		5	33.5	30	20	10	5	
PM 731	1480 x 905 x 480		58.3 x 35.6 x 18.9	42.0 x 28.0 x 8.2/ 9.6	1	9.5	11	6	3	2	
PM 732	1480 x 905 x 820		58.3 x 35.6 x 32.3		2	19.0	22	12	6	4	
PM 733	1480 x 905 x 1160	1065 x 710 x 210/245	58.3 x 35.6 x 45.7		3	28.5	33	18	9	6	
PM 734	1480 x 905 x 1500		58.3 x 35.6 x 59.1		4	38.0	44	24	12	8	
PM 735	1480 x 905 x 1840		58.3 x 35.6 x 72.5		5	47.5	55	30	15	10	
PM 741	1835 x 905 x 480		72.3 x 35.6 x 18.9		1	12.5	15	8	4	3	
PM 742	1835 x 905 x 820	1	72.3 x 35.6 x 32.3		2	25.0	30	16	8	6	
PM 743	1835 x 905 x 1160	1420 x 710 x 210/245	72.3 x 35.6 x 45.7	56.0 x 28.0 x 8.2/9.6	3	37.5	45	24	12	9	
PM 744	1835 x 905 x 1500]	72.3 x 35.6 x 59.1		4	50.0	60	32	16	12	
PM 745	1835 x 905 x 1840	1	72.3 x 35.6 x 72.5		5	62.5	75	40	20	15	



PizzaMaster_® 800 series (optimized for pizzas up to 410mm/16in)

	Dimensions in millimetres Dimensions in inches				Decks	Power	Capacity (pizzas per oven)			
Model	Width x Depth x Heig	ght *b)	Width x Depth x Hei	ght *b)		output	254 mm	355 mm	406 mm	457 mm
	External	Internal	External	Internal		kW	10 in	14 in	16in	18 in
PM 821	1250 x 1025 x 480		49.2 x 40.4 x 18.9		1	9.0	9	4	4	2
PM 822	1250 x 1025 x 820		49.2 x 40.4 x 32.3		2	18.0	18	8	8	4
PM 823	1250 x 1025 x 1160	820 x 820 x 210/245	49.2 x 40.4 x 45.7	32.3 x 32.3 x 8.2/9.6	З	27.0	27	12	12	6
PM 824	1250 x 1025 x 1500		49.2 x 40.4 x 59.1		4	36.0	36	16	16	8
PM 825	1250 x 1025 x 1840		49.2 x 40.4 x 72.5		5	45.0	45	20	20	10
PM 831	1660 x 1025 x 480		65.4 x 40.4 x 18.9	48.4 x 32.3 x 8.2/ 9.6	1	13.5	14	6	6	3
PM 832	1660 x 1025 x 820		65.4 x 40.4 x 32.3		2	27.0	28	12	12	6
PM 833	1660 x 1025 x 1160	1230 x 820 x 210/245	65.4 x 40.4 x 45.7		3	40.5	42	18	18	9
PM 834	1660 x 1025 x 1500		65.4 x 40.4 x 59.1		4	54.0	56	24	24	12
PM 835	1660 x 1025 x 1840		65.4 x 40.4 x 72.5		5	67.5	70	30	16	15
PM 841	2070 x 1025 x 480		81.5 x 40.4 x 18.9		1	17.0	18	9	8	5
PM 842	2070 x 1025 x 820		81.5 x 40.4 x 32.3		2	34.0	36	18	16	10
PM 843	2070 x 1025 x 1160	1640 x 820 x 210/245	81.5 x 40.4 x 45.7	64.6 x 32.3 x 8.2/9.6	3	51.0	54	27	24	15
PM 844	2070 x 1025 x 1500		81.5 x 40.4 x 59.1		4	68.0	72	36	32	20
PM 845	2070 x 1025 x 1840		81.5 x 40.4 x 72.5		5	85.0	90	45	40	25



PizzaMaster_® 900 series (optimized for pizzas up to 460mm/18in)

Dimensions in millimetres				Dimensions in inches		Power	Capacity	(pizzas pe	r oven)	
Model	Width x Depth x Heig External	ght *b)	•	Width x Depth x Height *b) External Internal		output kW	254 mm 10 in	355 mm 14 in	406 mm 16 in	457 mm 18 in
PM 921	1350 x 1125 x 480	internal	53.2 x 44.3 x 18.9		1	11.0	12	5	4	4
PM 922	1350 x 1125 x 820		53.2 x 44.3 x 32.3		2	22.0	24	10	8	8
PM 923	1350 x 1125 x 1160	920 x 920 x 210/245	53.2 x 44.3 x 45.7	36.2 x 36.2 x 8.2/9.6	3	32.9	36	15	12	12
PM 924	1350 x 1125 x 1500		52.2 x 44.3 x 59.1		4	44.0	48	20	16	16
PM 925	1350 x 1125 x 1840		52.2 x 44.3 x 72.5		5	55.0	60	25	20	20
PM 931	1810 x 1125 x 480		71.3 x 44.3 x 18.9	54.3 x 36.2 x 8.2/9.6	1	16.9	18	8	6	6
PM 932	1810 x 1125 x 820		71.3 x 44.3 x 32.3		2	33.7	36	16	12	12
PM 933	1810 x 1125 x 1160	1380 x 920 x 210/ 245	71.3 x 44.3 x 45.7		3	50.6	54	24	18	18
PM 934	1810 x 1125 x 1500		71.3 x 44.3 x 59.1		4	67.6	72	36	24	24
PM 935	1810 x 1125 x 1840		71.3 x 44.3 x 72.5		5	84.5	90	40	30	30
PM 941	2270 x 1125 x 480		89.4 x 44.3 x 18.9		1	21.4	24	11	8	8
PM 942	2270 x 1125 x 820]	89.4 x 44.3 x 32.3		2	42.7	48	22	16	16
PM 943	2270 x 1125 x 1160	1840 x 920 x 210/245	89.4 x 44.3 x 45.7	72.4 x 36.2 x 8.2/9.6	3	64.1	72	33	24	24
PM 944	2270 x 1125 x 1500		89.4 x 44.3 x 59.1		4	85.6	96	44	36	36
PM 945	2270 x 1125 x 1840		89.4 x 44.3 x 72.5		5	107.0	120	55	40	40

*b) Deck height. For total height inclusive of stand, add:

• 1105 mm (43.5 in) for 1-deck oven • 935 mm (36.8 in) for 2-deck oven • 765 mm (30.1 in) for 3-deck oven • 420 mm (16.5 in) for 4-deck oven

• 255 mm (10.0 in) for 5-deck oven



Proudly Distributed by:



GAN TECK KAR INVESTMENTS PTE LTD www.gtkfoods.com 21 Tuas West Drive, #01-01, Singapore 638411 T: (65)6556-0711 F: (65)6457-5929

Multi Purpose Stone Hearth Deck Ovens



for True Artisan Pizza

for High Temperature Baking

for Tastier Bread and Pastries

for Genuine MultiCooking

Our global network of professional consultants is always there for you to offer excellent knowledge and guidance in the art of stone hearth baking the old world style, always with the latest oven technology.

NEW SOLUTIONS







PizzaMaster® Multipurpose Stone Hearth Deck Ovens are manufactured by Svenska BakePartner AB Customer Support: Tel: +46 33 230-025 | Fax: +4633 248-140 | E-mail: info@bakepartner.com Website: www.pizzamaster.com or www.bakepartner.com | HQ: Svenska Bakepartner AB, Ödegärdsgatan 5, SE 504 64 Borås Sweden